SIAIR Lubricants

AUTOTRANS PRESTIGE is a very high performance, fully synthetic automatic transmission fluid designed to meet the exacting requirements of the latest transmissions found in many prestige and performance vehicles.

APPLICATION

Especially suitable for the ZF 6, 8 and 9-speed transmissions fitted to many BMW, AUDI, JAGUAR, LAND ROVER and other prestige vehicles, and meets and exceeds many other high performance OEM specifications as listed below.

BENEFITS

- Outstanding high torque capability and suitable for heavy loading and high operating temperatures.
- Low viscosity formulation to provide maximum transmission efficiency and fuel economy.
- Superior low temperature properties.
- Exceptional anti-shudder durability and stable frictional characteristics.
- Compatible with all types of transmission seal materials.
- Outstanding anti-wear protection and oxidation stability for longer component and fluid life.

PERFORMANCE PROFILE

Suitable for use where the following specifications are required;

- BENTLEY PY112995PA
- BMW ATF 3, ATF 3+
- BMW 83 22 0 142 516, 83 22 2 152 426
- BMW 83 22 2 305 397, 83 22 0 397 114
- BMW, 83 22 2 163 514, 83 22 2 289 720
- ATF M1375.4, M1375.6, M1375.8, L12108
- ATF 134, 3353
- FIAT/CHRYSLER/JEEP 68043742AA, 68157995AA
- HONDA ATF Type 3, Type 3.1
- JAGUAR C2C 8432, 02IDE 26444
- LAND ROVER TYK 500050, LR023288
- MASERATI 231603
- PORSCHE 000 043 304 00
- VW/AUDI G 055 162, G 055 005, G 052 533
- VW/AUDI G 060 162
- GM Dexron VI
- Not recommended for CVT or DCT transmissions

TYPICAL PROPERTIES

Appearance	Pale amber
Specific Gravity @ 15.6°C	0.840
Kinematic Viscosity @ 100°C (cSt)	5.5 (typical)

HEALTH & SAFETY

Refer to SDS for proper handling and disposal. Please note that the SDS includes handling, health and disposal information which should be passed on to your employees, and to anyone else who comes in contact with our product. Additional advice can also be



obtained from your local representative.

NOTE: Read and understand all precautions on container labels before using this product.

SAR LUBRICANTS (SQUIRE A. RADCLIFFE & SONS LTD) Gill Bridge Oil Works, Lowlands Road, Mirfield, WF14 8LU, England Tel: +44 (0)1924 494371 | Email: enquiries@sarlubricants.co.uk Registered in England: 05866783 VAT Registration No: 889171963